World Association of Nuclear Operators



"New Reactor Design activities focusing on new reactors and vendor / licensee's responses "

2nd MDEP Conference September, 15 2011 - Paris

First lessons from the Fukushima accident

100% WANO Members answered to the SOER (excluding Fukushima Daiichi and Daiini NPPs)

WAN

Significant Operating Experience Report WANO SOER 2011-2

Fukushima Daiichi Nuclear Station Fuel Damage Caused by Earthquake and Tsunami



SOER 2011-2 Recommendation Response Data


Analysis of SOER 2011-2 Recommendation Response Data

Summary of the Common Issues Identified during NPP Reviews of SOER 2011-2 Fukushima Daiichi Nuclear Station Fuel Damage Caused by Earthquake and Tsunami Recommendations

March 2011 Limited Distribution

First lessons from the Fukushima accident


All WANO members responded to SOER Example of analysis : Station Black-out



WANO's Commission to propose improvements


- As a result of Fukushima :
- Close the SOER gaps in emergency preparedness
- of each utility :
 - Procedures
 - Equipment availability
 - Drills & training
- Better define WANO's roles & responsibilities
- of WANO & WANO members in an emergency :
 - Reinforce the Emergency Team
 - Inventory of available equipment from other members
 - Coordination with IAEA and other organisations

Nuclear Safety Responsibility



improvements

Coordination with IAEA and other organisations :



WANO improvements

 WANO will, with its members fully committed, continue to prevent TMI & Chernobyl types Accidents by focusing PRs on Nuclear Safety Fundamentals, including :

- Compulsory high quality "AFIs"
- Check SOER recommendations' implementation

Improve Operating Experience, sharing between operators :

- Better define when a station must report
- Timely report event
- Implement SOER recommendations

•Define what is expected of WANO members & the follow-up on members that are not fully participating

World Association of Nuclear Operators

Thank you



http://www.wano.info